ORDER/CUSTODY FORM

From:	Contact/Engineer: Clients Order No.: Clients Ref: Date:

To: ***Soil Property Testing Ltd*** **18 Halcyon Court, St. Margarets Way,** **Stukeley Meadows, Huntingdon,** **Cambs. PE29 6DG.** Tel: 01480 455579 Fax: 01480 453619 E-mail: sptownend@btclick.com	Site/Contract Title: SPT JOB NO: Samples Potentially Hazardous YES NO Date Results Required:

LABORATORY TESTING SCHEDULE

BH TP	Depth (m)	Sample	Triaxial			SO3	pH	LO1	MC	PI	PSD	CBR			OED	Compaction		SG	Suction
			100S	100M	3x38	2:1/ Total				1 or 4	W/H	2.5	4.5	INT		2.5	4.5		
BS1377:1990:Part			7	7	7	3	3	3	2	2	2	4	4	4	5	4	4	2	BRE
CLAUSE			8	9	8	5.3 5.4 5.5	9	4	3.2	4.3 4.4	9.3 9.5	7.2	7.2	7.2	3	3.3 3.4	3.5 3.6	8.3 8.4	IP4/93
Further Instructions i.e. triaxial cell pressures/specific requirements																			

Samples released by:	Samples received by

ORDER/CUSTODY FORM

Site Contract:	**SPT Job No:**

LABORATORY TESTING SCHEDULE

BH TP	Depth (m)	Sample	Triaxial			SO3	pH	LOI	MC	PI	PSD	CBR			OED	Compaction		SG	Suction
			100S	100M	3x38	2:1/ Total				1 or 4	W/H	2.5	4.5	INT		2.5	4.5		
BS1377:1990:Part			7	7	7	3	3	3	2	2	2	4	4	4	5	4	4	2	BRE
Clause			8	9	8	5.3 5.4 5.5	9	4	3.2	4.3 4.4	9.3 9.5	7.2	7.2	7.2	3	3.3 3.4	3.5 3.6	8.3 8.4	IP4/93

OTHER TESTS incl METHOD

Further Instructions i.e. Triaxial Cell Pressures. Or specific instructions.	